Crataegus × persimilis Broad-leaved Cockspur thorn



TYPES OF PLANTING

Tree types: standard trees, multi-stemmed trees, characteristic trees, woodland planting stock, solitary shrubs | **Topiary on stem**: pollard, multi-stem umbrella | **Topiary**: globe, block, bonsai

USE

Location: park, large garden, cemetery, traffic areas, industrial zones, countryside, ecological zone | **Pavement**: none | **Planting concepts**: Landscape planting

CHARACTERISTICS

Crown shape: rounded | Crown structure: dense | Height: 6 - 7 m | Width: 6 - 7 m | Winter hardiness zone: 5A - 9B

ASPECTS

Wind: tolerant to wind | Soil: loess, sabulous clay, light clay, sand, loamy soil | Nutrient level: rich in nutrients | Soil moisture level: dry, moist | Light requirements: sun, partial shade | pH range: neutral, alkaline | Host plant/forage plant: bees, butterflies, birds, small mammals | Extreme environments: tolerant to dryness, tolerates air pollution

PLANTKENMERKEN

Flowers: raceme, striking, singular, small, scented | Flower colour: white | Flowering period: May - June | Leaf colour: green | Leaves: deciduous, ovate, ovoid, leathery, polished, serrate, dentate | Autumn colour: yellow-orange | Fruits: striking, small, berry | Fruit colour: red | Bark colour: grey-brown | Bark: peeling, slightly furrowed | Twig colour: grey-brown | Twigs: thorned

