Taxodium distichum Bald Cypress, southern-cypress, white-cypress, tidewater red-cypress, Gulf-cypress, red-cypress, swamp cypress



TYPES OF PLANTING

Tree types: standard trees, feathered trees, multi-stemmed trees, characteristic trees, conifers, woodland planting stock | **Topiary on stem**: beehive, block, multi-stem umbrella

USE

Location: avenue, car park / parking lot, park, central reservation, large garden, cemetery, traffic areas, industrial zones, bioswale | **Pavement**: none, open, sealed

CHARACTERISTICS

Crown shape: pyramidal | Crown structure: semi-open | Height: 18 - 30 m | Width: 6 - 12 m | Winter hardiness zone: 6A - 10B

ASPECTS

Wind: tolerant to wind, slightly tolerant to coastal wind | Soil: loess, sabulous clay, peaty, heavy clay, light clay, sand, loamy soil, all soils | Nutrient level: low in nutrients, moderately rich in nutrients, rich in nutrients | Soil moisture level: dry, moist, wet, very wet | Light requirements: sun | pH range: acidic, neutral | Extreme environments: tolerant to dryness, tolerates air pollution, tolerates heat, tolerant to short-term flooding

PLANTKENMERKEN

Flowers: discrete, small | Flowering period: March - April | Leaf colour: bright green, buds pale green | Leaves: deciduous, needles or scales, short needles | Autumn colour: yellow-orange, orange, red-brown | Fruits: discrete, small, cones | Fruit colour: brown, green | Bark colour: grey-brown, red-brown | Bark: peeling, furrowed, spiral | Twig colour: green | Twigs: vertical branches, pendulous | Root system: deep, tap root,



